

## MATERIAL SAFETY DATA SHEET

Product Trade Name: **QUIK MUD**

Revision Date: 03-Jan-2013

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: QUIK MUD  
Synonyms: None  
Chemical Family: Anionic Polymer  
Application: Shale Inhibitor Viscosifier

Manufacturer/Supplier: Baroid Fluid Services  
Product Service Line of Halliburton  
P.O. Box 1675  
Houston, TX 77251  
Telephone: (281) 871-4000  
Emergency Telephone: (281) 575-5000

Prepared By: Chemical Compliance  
Telephone: 1-580-251-4335  
e-mail: fdunexchem@halliburton.com

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Hydrotreated light petroleum distillate	64742-47-8	10 - 30%	Not applicable	Not applicable

### 3. HAZARDS IDENTIFICATION

**Hazard Overview** May cause eye, skin, and respiratory irritation. May cause headache, dizziness, and other central nervous system effects. May be harmful if swallowed.

### 4. FIRST AID MEASURES

**Inhalation** If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

**Skin** Wash with soap and water. Get medical attention if irritation persists. Remove contaminated shoes and discard.

**Eyes** Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.

**Ingestion** Get medical attention! If vomiting occurs, keep head lower than hips to prevent aspiration.

**Notes to Physician** Not Applicable

## 5. FIRE FIGHTING MEASURES

Flash Point/Range (F):	> 200
Flash Point/Range (C):	> 93
Flash Point Method:	PMCC
Autoignition Temperature (F):	Not Determined
Autoignition Temperature (C):	Not Determined
Flammability Limits in Air - Lower (%):	Not Determined
Flammability Limits in Air - Upper (%):	Not Determined

<b>Fire Extinguishing Media</b>	Carbon Dioxide, Dry Chemicals, Foam.
<b>Special Exposure Hazards</b>	Decomposition in fire may produce toxic gases. Use water spray to cool fire exposed surfaces.
<b>Special Protective Equipment for Fire-Fighters</b>	Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.
<b>NFPA Ratings:</b>	Health 1, Flammability 1, Reactivity 0
<b>HMS Ratings:</b>	Health 1, Flammability 1, Reactivity 0

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautionary Measures</b>	Use appropriate protective equipment.
<b>Environmental Precautionary Measures</b>	Prevent from entering sewers, waterways, or low areas.
<b>Procedure for Cleaning / Absorption</b>	Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

## 7. HANDLING AND STORAGE

<b>Handling Precautions</b>	Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse. Material is slippery underfoot.
<b>Storage Information</b>	Store away from oxidizers. Keep container closed when not in use. Product has a shelf life of 12 months.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Engineering Controls</b>	Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.
<b>Respiratory Protection</b>	Not normally needed. But if significant exposures are possible then the following respirator is recommended: Organic vapor respirator with a dust/mist filter.
<b>Hand Protection</b>	Impervious rubber gloves. Polyvinylchloride gloves. Nitrile gloves.
<b>Skin Protection</b>	Rubber apron.
<b>Eye Protection</b>	Chemical goggles; also wear a face shield if splashing hazard exists.
<b>Other Precautions</b>	Eyewash fountains and safety showers must be easily accessible.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Liquid
------------------------	--------

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Color:	White to off white
Odor:	Mild hydrocarbon
pH:	5
Specific Gravity @ 20 C (Water=1):	1.1
Density @ 20 C (lbs./gallon):	9.16
Bulk Density @ 20 C (lbs/ft <sup>3</sup> ):	5
Boiling Point/Range (F):	221
Boiling Point/Range (C):	105
Freezing Point/Range (F):	Not Determined
Freezing Point/Range (C):	Not Determined
Vapor Pressure @ 20 C (mmHg):	Not Determined
Vapor Density (Air=1):	Not Determined
Percent Volatiles:	Not Determined
Evaporation Rate (Butyl Acetate=1):	< 1
Solubility in Water (g/100ml):	Disperses
Solubility in Solvents (g/100ml):	Not Determined
VOCs (lbs./gallon):	Not Determined
Viscosity, Dynamic @ 20 C (centipoise):	Not Determined
Viscosity, Kinematic @ 20 C (centistokes):	Not Determined
Partition Coefficient/n-Octanol/Water:	Not Determined
Molecular Weight (g/mole):	Not Determined

## 10. STABILITY AND REACTIVITY

Stability Data:	Stable
Hazardous Polymerization:	Will Not Occur
Conditions to Avoid	Keep away from heat, sparks and flame.
Incompatibility (Materials to Avoid)	Strong oxidizers. Contact with copper. Prolonged contact with aluminum. Mild steel.
Hazardous Decomposition Products	Ammonia. Oxides of nitrogen. Carbon monoxide and carbon dioxide.
Additional Guidelines	Not Applicable

## 11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure	Eye or skin contact, inhalation.
Inhalation	May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.
Skin Contact	Prolonged or repeated contact may cause skin irritation.
Eye Contact	May cause eye irritation.
Ingestion	Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions.
Aggravated Medical Conditions	Lung disorders.

**Chronic Effects/Carcinogenicity** No data available to indicate product or components present at greater than 1% are chronic health hazards.

**Other Information** None known.

#### **Toxicity Tests**

**Oral Toxicity:** LD50: > 2000 mg/kg (Rat)

**Dermal Toxicity:** Not determined

**Inhalation Toxicity:** Not determined

**Primary Irritation Effect:** Not determined

**Carcinogenicity** Not determined

**Genotoxicity:** Not determined

**Reproductive /  
Developmental Toxicity:** Not determined

## **12. ECOLOGICAL INFORMATION**

**Mobility (Water/Soil/Air)** Not determined

**Persistence/Degradability** Not determined

**Bio-accumulation** Not determined

#### **Ecotoxicological Information**

**Acute Fish Toxicity:** TLM96: 1000 ppm (Oncorhynchus mykiss)

**Acute Crustaceans Toxicity:** TLM96: 250 mg/l (Crangon crangon)

**Acute Algae Toxicity:** Not determined

**Chemical Fate Information** Not determined

**Other Information** Not applicable

## **13. DISPOSAL CONSIDERATIONS**

**Disposal Method** Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

## **14. TRANSPORT INFORMATION**

#### **Land Transportation**

**DOT**  
Not restricted

**Canadian TDG**  
Not restricted

**ADR**  
Not restricted

## **Air Transportation**

**ICAO/IATA**  
Not restricted

## **Sea Transportation**

**IMDG**  
Not restricted

## **Other Transportation Information**

**Labels:** None

## **15. REGULATORY INFORMATION**

### **US Regulations**

<b>US TSCA Inventory</b>	All components listed on inventory or are exempt.
<b>EPA SARA Title III Extremely Hazardous Substances</b>	Not applicable
<b>EPA SARA (311,312) Hazard Class</b>	Acute Health Hazard
<b>EPA SARA (313) Chemicals</b>	This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372).
<b>EPA CERCLA/Superfund Reportable Spill Quantity</b>	Not applicable.
<b>EPA RCRA Hazardous Waste Classification</b>	If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.
<b>California Proposition 65</b>	The California Proposition 65 regulations apply to this product.
<b>MA Right-to-Know Law</b>	One or more components listed.
<b>NJ Right-to-Know Law</b>	One or more components listed.
<b>PA Right-to-Know Law</b>	One or more components listed.

### **Canadian Regulations**

<b>Canadian DSL Inventory</b>	All components listed on inventory or are exempt.
<b>WHMIS Hazard Class</b>	D2B Toxic Materials

## **16. OTHER INFORMATION**

**The following sections have been revised since the last issue of this MSDS**  
Not applicable

**Additional Information**

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**\*\*\*END OF MSDS\*\*\***